

ARENDIS VILLE COMMUNITY FIRE CO. INC.

48 PEARL STREET - PO BOX 482 - ARENDTSVILLE, PA 17303 717-677-6200 - 717-677-7731(fax)

July 2020 Run Report

Incidents

Car Fire: 1 Trash Fire: 1

Medical Assist: 16 Vehicle Accident: 1 Land Rescue: 1

Haz Mat: 1 Fire Police: 2 Cancelled: 5

Total: 28 Incidents

First due incidents:20

Incidents in other departments area: 8

Unit Response

Engine 5-1: 6 Tower 5: 3 Service 5: 19 Brush 5: 3 UTV5: 1

Call Total Per Municipality

Arendtsville Boro: 7
Biglerville Boro: 2
Butler Twp: 3
Cumberland Twp: 3
Franklin Twp: 4
Gettysburg Boro: 1
Menallen Twp: 8

Total Man Hours:

30:45 Hours

Established 1911

Buchanan Valley Volunteer Fire Department

Monthly Township Report July 2020

Responses

Total Responses for Month: 26
Total Responses Year to Date: 139

- Started our Interior Firefighter Class via Bucks hosted at BVFD. 15 Students total, 3 from BVFD
- Was able to have July Seafood Feast. Per State requirements we only sold 250 tickets (half of normal).

Michael D. Spielman Fire Chief

Cashtown Community Fire Department - Monthly Fire Chief's Report for August 2020

1) Response types and department's assisted (if application)	able)				
AFA Residential Fire Box 4-3	1				
CO Alarm Box 4-2					
Vehicle Accident Box 4-1					
Transfer/ Stand-By to South Mountain F.D					
Total Fire/Rescue Calls for July					
Fire Police Only Assist to Gettysburg F.D					
Fire Police Only Box 4-1					
Medical Assistance calls	12				
Total Calls for July -	19				
Year to Date Calls - 53 Fire / Rescue					
6 Fire Police Only					
66 Medical					
125 Calls total as of July 31, 2020					

2) Responses by Jurisdiction for July

Franklin Township/Adams County-	16
Hamiltonban Township / Adams County -	1
Cumberland Township / Adams County -	1
Guilford Township / Franklin County -	1

3) Miscellaneous:.

Should you have any questions, please feel free to contact me on my cell phone at (717) 891-8693 or email me at jbowling65@embarqmail.com Thank You, Jeff Bowling Chief Cashtown Community Fire Dept.